

Name _____

Spring 2017


STAT 401D

Exam I
(100 points)

Instructions:

- Partial credit will be given only if you show your work.
- The questions are not necessarily ordered from easiest to hardest.

1. Consider the system below with all routers acting independently and each having probability 0.80 of successfully transmitting a signal.



- (a) Calculate the probability of a signal passing from A to B. (6 points)

- (b) Calculate the probability of a signal passing from C to D. (6 points)

- (c) Calculate the system reliability. (4 points)

- (d) If you could replace one router with a perfect router that has 100% success which router would it be and why? (4 points)

2. In Colorado, seventy percent of skiers lost during an avalanche are subsequently discovered. Of the skiers that are discovered, 60% have an emergency locator, whereas 90% of the skiers not discovered do not have such a locator. Suppose that a skier has disappeared in an avalanche. If she has an emergency locator, what is the probability that she will be discovered?

3. Let X represent a discrete random variable with the following probability mass function

x	1	2	3	4
$P(X = x)$	0.1	0.2	0.3	c

(a) What is the value for c that makes this a valid probability mass function? (6 pts)

(b) What is the expectation of X ? (6 pts)

(c) What is the variance of X ? (7 pts)

4. Suppose we are performing an experiment to study the effect of skin lotions. Participants have dry skin and Lotion A is randomly assigned to one arm and Lotion B is then used on the other arm. For each participant, we record whether Lotion A worked better than Lotion B. Since we have no reason to believe which lotion is better, we assume the probability that A works better than B is 0.5. For the following questions, assume there are 10 participants and the response from each participant is independent.

(a) What is the probability that exactly 2 of the 10 responses indicate that Lotion A worked better than Lotion B? (6 points)

(b) What is the probability that 2 or fewer of the responses indicate that Lotion A worked better than Lotion B? (7 points)

(c) What is the probability between 3 and 7 responses (inclusive, i.e. 3 and 7 are included) indicate that Lotion A worked better than Lotion B? (7 points)

5. A network of 100 temperature sensors is deployed to measure the ocean temperature near an underwater volcano. The sensors act independently and have an expected value that is actual temperature with a variance of $0.36^{\circ}C$. The sensors each report to a single hub and the hub reports to a base station if at least one of the sensors reports a temperature more than $2^{\circ}C$ different from the last reported sensor.

(a) Suppose the last reported temperature was $80.1^{\circ}C$ and the current actual temperature is $80.3^{\circ}C$. What is the probability the hub will report to the base station? (10 points)

(b) Since communication to the base station is the battery draining operation, the scientist set the hub to only report to the base station if the average of all sensors is more than $0.4^{\circ}C$ different from the previous report. Using the temperatures in the previous problem, what is the probability the hub will report to the base station? (10 points)